

# DURHAM MFG®

Est. 1922

# Workbenches & Workstations



Workbenches, Workstations & Mobile Cabinets			
Folding Leg Workbenches	3	Work Tables/Machine Tables	4 - 6
Knockdown Machine Tables	6	Specialty Workbenches	7 - 8
Mobile Heavy Duty Workbenches	9	Extra Heavy Duty Workbenches	10 - 11
Stationary Workstations	12	Mobile Workstations	13 - 15
Optional Drawer	3, 7, 8, 9, 11		

**Save Time • Save Space • Save Money**

# ERGONOMIC WORKBENCHES

## FOLDING LEG STYLE



**Model**  
**WBF-3696-95**



**Model**  
**WBF-TH-3696-95**



**Model**  
**177-DRAWER-95**  
Optional drawer

### Adjustable Height, Folding Leg Work Bench (2,000 Lbs. capacity)

- 14 gauge steel top with formed channel
- WBF-TH models are 14 gauge steel top covered with a durable tempered hard board
- Legs are adjustable on 1" centers
- Provisions for optional drawer  
Model # 177-DRAWER-95
- Easy to assemble
- Bench height adjustable from 26-5/16" to 42-5/16"
- Hinged legs are welded to the top using full length piano hinges
- Legs can be easily folded allowing benches to be stored in less space
- 7 gauge steel corner gussets for added strength
- Easy assembly using fasteners provided
- Durable, gray, textured powder coat finish

Model	Overall Dimensions WxD (In.)	Ship Wt. (Lbs.)
WBF-3060-95	60 x 30-1/4	113
WBF-3660-95	60 x 36-1/4	120
WBF-3072-95	72 x 30-1/4	121
WBF-3672-95	72 x 36-1/4	134
WBF-3096-95	96 x 30-1/4	147
WBF-3696-95	96 x 36-1/4	163
WBF-4896-95	96 x 48-1/4	199
WBF-30120-95	120 x 30-1/4	192
WBF-36120-95	120 x 36-1/4	212
WBF-48120-95	120 x 48-1/4	259
<b>Models Including Tempered Hard Board over Steel Top</b>		
WBF-TH-3060-95	60 x 30-1/4	123
WBF-TH-3660-95	60 x 36-1/4	136
WBF-TH-3072-95	72 x 30-1/4	135
WBF-TH-3672-95	72 x 36-1/4	154
WBF-TH-3096-95	96 x 30-1/4	166
WBF-TH-3696-95	96 x 36-1/4	186
WBF-TH-4896-95	96 x 48-1/4	229
<b>Optional Drawer</b>		
177-DRAWER-95	12-3/16 x 19-3/16 x 5-3/8	21

Drawer has 100 Lbs. capacity.

**For additional information visit our website:**

**[www.durhammfg.com](http://www.durhammfg.com)**

**or**

**Contact us at: [info@durhammfg.com](mailto:info@durhammfg.com)**

# WORK TABLE

## STATIONARY - MEDIUM DUTY

### Medium Duty Machine Tables - Top Shelf Only (2,000 Lbs. capacity)

- 1-1/2" x 1/8" angle iron frame
- 14 gauge shelves with stiffeners
- MTD Models Include drawer
- Foot pad is pre-punched with 5/16" and 3/8" holes for lagging to the floor
- Ships fully assembled and ready for use
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Shelf Dimensions (In.)	Ship Wt. (Lbs.)
MT182418-2K195	27-1/4 x 20-3/4 x 18-3/16	18 x 24	46
MT182424-2K195	27-1/4 x 20-3/4 x 24-3/16	18 x 24	49
MT182430-2K195	27-1/4 x 20-3/4 x 30-3/16	18 x 24	51
MT182436-2K195	27-1/4 x 20-3/4 x 36-3/16	18 x 24	53
MT182442-2K195	27-1/4 x 20-3/4 x 42-3/16	18 x 24	56
MT243618-2K195	39-1/4 x 26-3/4 x 18-3/16	24 x 36	59
MT243624-2K195	39-1/4 x 26-3/4 x 24-3/16	24 x 36	67
MT243630-2K195	39-1/4 x 26-3/4 x 30-3/16	24 x 36	70
MT243636-2K195	39-1/4 x 26-3/4 x 36-3/16	24 x 36	79
MT243642-2K195	39-1/4 x 26-3/4 x 42-3/16	24 x 36	81
MT244818-2K195	51-1/4 x 26-3/4 x 18-3/16	24 x 48	74
MT244824-2K195	51-1/4 x 26-3/4 x 24-3/16	24 x 48	76
MT244830-2K195	51-1/4 x 26-3/4 x 30-3/16	24 x 48	79
MT244836-2K195	51-1/4 x 26-3/4 x 36-3/16	24 x 48	87
MT244842-2K195	51-1/4 x 26-3/4 x 42-3/16	24 x 48	90
<b>Models including drawer • (1) 13-5/16 x 19-7/16 x 4-15/16</b>			
MTD182418-2K195	20-3/4 x 27-1/4 x 18-3/16	18 x 24	66
MTD182424-2K195	20-3/4 x 27-1/4 x 24-3/16	18 x 24	68
MTD182430-2K195	20-3/4 x 27-1/4 x 30-3/16	18 x 24	71
MTD182436-2K195	20-3/4 x 27-1/4 x 36-3/16	18 x 24	73
MTD182442-2K195	20-3/4 x 27-1/4 x 42-3/16	18 x 24	75
MTD243618-2K195	26-3/4 x 39-1/4 x 18-3/16	24 x 36	79
MTD243624-2K195	26-3/4 x 39-1/4 x 24-3/16	24 x 36	87
MTD243630-2K195	26-3/4 x 39-1/4 x 30-3/16	24 x 36	89
MTD243636-2K195	26-3/4 x 39-1/4 x 36-3/16	24 x 36	98
MTD243642-2K195	26-3/4 x 39-1/4 x 42-3/16	24 x 36	101
MTD244818-2K195	26-3/4 x 51-1/4 x 18-3/16	24 x 48	93
MTD244824-2K195	26-3/4 x 51-1/4 x 24-3/16	24 x 48	96
MTD244830-2K195	26-3/4 x 51-1/4 x 30-3/16	24 x 48	98
MTD244836-2K195	26-3/4 x 51-1/4 x 36-3/16	24 x 48	107
MTD244842-2K195	26-3/4 x 51-1/4 x 42-3/16	24 x 48	110



**Model  
MT243624-2K195**



**Model  
MTD243624-2K195**

### Medium Duty Machine Tables - Multi Shelf (2,000 Lbs. capacity)

- 1-1/2" x 1/8" angle iron frame
- 14 gauge shelves with stiffeners
- Foot pad is pre-punched with 5/16" and 3/8" holes for lagging to the floor
- Ships fully assembled and ready for use
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Shelf Dimensions (In.)	Shelf Clearance (In.)	Ship Wt. (Lbs.)
<b>2 Shelf Units</b>				
MT183630-2K295	39-1/4 x 20-3/4 x 30-3/16	18 x 36	22-1/4	73
MT243630-2K295	39-1/4 x 26-3/4 x 30-3/16	24 x 36	22-1/4	86
MT244830-2K295	51-1/4 x 26-3/4 x 30-3/16	24 x 48	22-1/4	101
MT246030-2K295	63-1/4 x 26-3/4 x 30-3/16	24 x 60	22-1/4	116
<b>3 shelf units</b>				
MT183630-2K395	39-1/4 x 20-3/4 x 30-3/16	18 x 36	10-5/16	93
MT243630-2K395	39-1/4 x 26-3/4 x 30-3/16	24 x 36	10-5/16	110



**Model  
MT243630-2K395**

# WORK TABLES

## MOBILE - MEDIUM DUTY

### Mobile Medium Duty Machine Tables - Top Shelf Only (2,000 Lbs. capacity)

- 1-1/2" x 1/8" angle iron frame
- 14 gauge shelves with stiffeners
- MTD Models include drawer
- (4) 3" Locking phenolic swivel casters
- Ships fully assembled and ready for use
- Durable, gray, textured powder coat finish



**Model**  
**MTM243624-2K195**



**Model**  
**MTDM243630-2K195**

Model	Overall Dim: WxDxH (In.)	Shelf Dimensions (In.)	Ship Wt. (Lbs.)
MTM182418-2K195	27-1/4 x 20-3/4 x 18-1/4	18 x 24	59
MTM182424-2K195	27-1/4 x 20-3/4 x 24-1/4	18 x 24	62
MTM182430-2K195	27-1/4 x 20-3/4 x 30-1/4	18 x 24	64
MTM182436-2K195	27-1/4 x 20-3/4 x 36-1/4	18 x 24	75
MTM182442-2K195	27-1/4 x 20-3/4 x 42-1/4	18 x 24	78
MTM243618-2K195	39-1/4 x 26-3/4 x 18-1/4	24 x 36	72
MTM243624-2K195	39-1/4 x 26-3/4 x 24-1/4	24 x 36	80
MTM243630-2K195	39-1/4 x 26-3/4 x 30-1/4	24 x 36	82
MTM243636-2K195	39-1/4 x 26-1/4 x 36-3/4	24 x 36	88
MTM243642-2K195	39-1/4 x 26-3/4 x 42-1/4	24 x 36	91
MTM244818-2K195	51-1/4 x 26-3/4 x 18-1/4	24 x 48	87
MTM244824-2K195	51-1/4 x 26-3/4 x 24-1/4	24 x 48	89
MTM244830-2K195	51-1/4 x 26-3/4 x 30-1/4	24 x 48	91
MTM244836-2K195	51-1/4 x 26-3/4 x 36-1/4	24 x 48	97
MTM244842-2K195	51-1/4 x 26-3/4 x 42-1/4	24 x 48	100
<b>Models including drawer • (1) 13-5/16 x 19-7/16 x 4-15/16</b>			
MTDM182418-2K195	20-3/4 x 27-1/4 x 18-1/4	18 x 24	80
MTDM182424-2K195	20-3/4 x 27-1/4 x 24-1/4	18 x 24	82
MTDM182430-2K195	20-3/4 x 27-1/4 x 30-1/4	18 x 24	84
MTDM182436-2K195	20-3/4 x 27-1/4 x 36-1/4	18 x 24	95
MTDM182442-2K195	20-3/4 x 27-1/4 x 42-1/4	18 x 24	97
MTDM243618-2K195	26-3/4 x 39-1/4 x 18-1/4	24 x 36	92
MTDM243624-2K195	26-3/4 x 39-1/4 x 24-1/4	24 x 36	99
MTDM243630-2K195	26-3/4 x 39-1/4 x 30-1/4	24 x 36	102
MTDM243636-2K195	26-3/4 x 39-1/4 x 36-1/4	24 x 36	107
MTDM243642-2K195	26-3/4 x 39-1/4 x 42-1/4	24 x 36	110
MTDM244818-2K195	26-3/4 x 51-1/4 x 18-1/4	24 x 48	106
MTDM244824-2K195	26-3/4 x 51-1/4 x 24-1/4	24 x 48	108
MTDM244830-2K195	26-3/4 x 51-1/4 x 30-1/4	24 x 48	110
MTDM244836-2K195	26-3/4 x 51-1/4 x 36-1/4	24 x 48	117
MTDM244842-2K195	26-3/4 x 51-1/4 x 42-1/4	24 x 48	119

### Mobile Medium Duty Machine Tables - Multi Shelf (2,000 Lbs. capacity)

- 1-1/2" x 1/8" angle iron frame
- 14 gauge shelves with stiffeners
- (4) 3" Locking phenolic swivel casters
- Ships fully assembled and ready for use
- Durable, gray, textured powder coat finish



**Model**  
**MTM243630-2K395**

Model	Overall Dim: WxDxH (In.)	Shelf Dimensions (In.)	Shelf Clearance (In.)	Ship Wt. (Lbs.)
<b>2 Shelf Units</b>				
MTM183630-2K295	39-1/4 x 20-3/4 x 30-1/4	18 x 36	18-1/8	84
MTM243630-2K295	39-1/4 x 26-3/4 x 30-1/4	24 x 36	18-1/8	98
MTM244830-2K295	51-1/4 x 26-3/4 x 30-1/4	24 x 48	18-1/8	114
MTM246030-2K295	63-1/4 x 26-3/4 x 30-1/4	24 x 60	18-1/8	128
<b>3 Shelf Units</b>				
MTM183630-2K395	39-1/4 x 20-3/4 x 30-1/4	18 x 36	8-1/4	104
MTM243630-2K395	39-1/4 x 26-3/4 x 30-1/4	24 x 36	8-1/4	123

# WORK TABLE

## HEAVY DUTY

### Heavy Duty Machine Tables - 2 Shelves (3,000 Lbs. capacity)

- 1-1/2" x 3/16" angle iron frame
- 12 gauge shelves with stiffeners
- All-welded construction
- Ships fully assembled and ready for use
- Durable, gray, textured powder coat finish



**Model**  
**MT244836-3K295**



**Model**  
**MTM304836-3K295**

Model	Overall Dim: WxDxH (In.)	Shelf Dimensions (In.)	Shelf Clearance (In.)	Ship Wt. (Lbs.)
<b>STATIONARY • Foot pads with prepunched holes for lagging to the floor</b>				
MT12G182430-3K295	26-3/8 x 20-3/8 x 30	18 x 24	17-5/8	76
MT12G183630-3K295	38-3/8 x 20-3/8 x 30	18 x 36	17-5/8	92
MT12G243630-3K295	38-3/8 x 26-3/8 x 30	24 x 36	17-5/8	110
MT12G244830-3K295	50-3/8 x 26-3/8 x 30	24 x 48	17-5/8	128
MT244836-3K295	51-1/4 x 26-3/4 x 36-3/16	24 x 48	28-1/4	136
MT304836-3K295	51-1/4 x 32-3/4 x 36-3/16	30 x 48	28-1/4	152
MT364836-3K295	51-1/4 x 38-3/4 x 36-3/16	36 x 48	28-1/4	167
MT367236-3K295	75-1/4 x 38-3/4 x 36-3/16	36 x 72	28-1/4	222
<b>MOBILE • 3" x 1-13/16" Phenolic, swivel casters with side brakes</b>				
MTM244836-3K295	51-1/4 x 26-3/4 x 36-1/4	24 x 48	24-1/8	145
MTM304836-3K295	51-1/4 x 32-3/4 x 36-1/4	30 x 48	24-1/8	161
MTM364836-3K295	51-1/4 x 38-3/4 x 36-1/4	36 x 48	24-1/8	178
MTM367236-3K295	75-1/4 x 38-3/4 x 36-1/4	36 x 72	24-1/8	234

FOB TX

## WORK TABLES

### ADJUSTABLE / KNOCK DOWN

### Adjustable Machine Tables

- 16 gauge steel
- Shelves adjust on 3" centers
- Shelves can be installed flush or with 2" lips up
- Adjustable to ensure users comfort
- Easy to assemble and adjust with the hardware provided
- Gray powder coat finish

Model	Overall Dim: W x D x H (In.)	Shelf Dimensions (In.)	Ship Wt. (Lbs.)
<b>STATIONARY • 1,500 Lbs. capacity</b>			
MTA182424-1.5K295	24-1/8 x 18-1/8 x 18-1/8 to 24-1/8	(2) 18 x 24	30
MTA182436-1.5K295	24-1/8 x 18-1/8 x 30-1/8 to 36-1/8	(2) 18 x 24	36
MTA243024-1.5K295	30-1/8 x 24-1/8 x 18-1/8 to 24-1/8	(2) 24 x 30	44
MTA243036-1.5K295	30-1/8 x 24-1/8 x 30-1/8 to 36-1/8	(2) 24 x 30	46
MTA243624-1.5K295	36-1/8 x 24-1/8 x 18-1/8 to 24-1/8	(2) 24 x 36	50
MTA243636-1.5K295	36-1/8 x 24-1/8 x 30-1/8 to 36-1/8	(2) 24 x 36	53
MTA244824-1.5K295	48-1/8 x 24-1/8 x 18-1/8 to 24-1/8	(2) 24 x 48	63
MTA244836-1.5K295	48-1/8 x 24-1/8 x 30-1/8 to 36-1/8	(2) 24 x 48	66
<b>MOBILE • 3" x 1-1/4" polyolefin, swivel casters with side brakes • 1,000 Lbs. capacity</b>			
MTMA182428-1K23P095	24-1/8 x 18-1/8 x 21-13/16 to 27-13/16	(2) 18 x 24	35
MTMA182440-1K23P095	24-1/8 x 18-1/8 x 33-13/16 to 39-13/16	(2) 18 x 24	41
MTMA243028-1K23P095	30-1/8 x 24-1/8 x 21-13/16 to 27-13/16	(2) 24 x 30	48
MTMA243040-1K23P095	30-1/8 x 24-1/8 x 33-13/16 to 39-13/16	(2) 24 x 30	51
MTMA243628-1K23P095	36-1/8 x 24-1/8 x 21-13/16 to 27-13/16	(2) 24 x 36	54
MTMA243640-1K23P095	36-1/8 x 24-1/8 x 33-13/16 to 39-13/16	(2) 24 x 36	57
MTMA244828-1K23P095	48-1/8 x 24-1/8 x 21-13/16 to 27-13/16	(2) 24 x 48	68
MTMA244840-1K23P095	48-1/8 x 24-1/8 x 33-13/16 to 39-13/16	(2) 24 x 48	70



**Model**  
**MTA-243636-1.5K295**



**Model**  
**MTMA243640-1K23P095**



# SPECIALTY WORKBENCHES

## SPECIALTY WORKBENCHES - MOBILE & STATIONARY



**Model**  
**DWB-3672-177-95**  
(shown with optional drawer)



**Model**  
**DWBM-3060-BE-95**

### Heavy Duty Workbenches (4,000 Lbs. capacity)

- Top is 12 gauge thick reinforced steel
- Angle iron stiffener under work surface and 2" x 2" x 1/4" angle iron legs
- Mobile units include (4) 3" phenolic, locking swivel casters
- All models include a 12 gauge steel lower shelf with 500 Lbs. capacity
- -BE- units include back and end stops on work surface
- Provisions for optional drawer Model # 177-DRAWER-95
- Foot pads with predrilled holes allow lagging to the floor (stationary models)
- Ships fully assembled ready for use
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Includes	Ship Wt. (Lbs.)
<b>STATIONARY</b>			
DWB-3048-95	48 x 30 x 34-1/16	-	177
DWB-3672-95	72 x 36 x 34-1/16	-	239
DWB-3048-177-95	48 x 30 x 34-1/16	Drawer	195
DWB-3672-177-95	72 x 36 x 34-1/16	Drawer	256
DWB-3060-BE-95	60 x 30 x 35-5/8	Back and end stops	202
DWB-3072-BE-95	72 x 30 x 35-5/8	Back and end stops	225
<b>MOBILE • 3" x 1-1/4" polyolefin, swivel casters with side brakes</b>			
DWBM-3048-BE-95	48 x 30 x 39-13/16	Back and end stops	196
DWBM-3060-BE-95	60 x 30 x 39-13/16	Back and end stops	216
DWBM-3072-BE-95	72 x 30 x 39-13/16	Back and end stops	241
DWBM-3660-BE-95	60 x 36 x 39-13/16	Back and end stops	228
DWBM-3060-BE-PS-95	60 x 30 x 39-13/16	Back and end stops Power Strip - 6 outlets	218
DWBM-3072-BE-PS-95	72 x 30 x 39-13/16	Back and end stops Power Strip - 6 outlets	243

### Heavy Duty Workbench with Lips Up & Peg Board (4,000 Lbs. capacity)



**Model**  
**DWB-3072-BE-PB-95**



**Model**  
**DWBM-3060-BE-PB-95**

- Top is 12 gauge thick reinforced steel
- Angle iron stiffener under work surface and 2" x 2" x 1/4" angle iron legs.
- Mobile units include (4) 3" phenolic, locking swivel casters
- Pegboard holes are 1/4" diameter and are punched on 1" centers. They accommodate standard peg hooks (peg hooks not included)
- Provisions for optional drawer Model # 177-DRAWER-95
- Back and end stops on work surface
- Work surfaces are 34" above the floor
- All models include a 12 gauge steel lower shelf with 500 Lbs. capacity
- Foot pads with predrilled holes allow lagging to the floor
- Ships fully assembled ready for use
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Peg Board Dim: WxH (In.)	Ship Wt. (Lbs.)
DWB-3060-BE-PB-95	60 x 30 x 57-13/16	60 x 24	247
DWB-3072-BE-PB-95	72 x 30 x 57-13/16	72 x 24	276
<b>Mobile Units</b>			
DWBM-3048-BE-PB-95	48 x 30 x 62	48 x 24	231
DWBM-3060-BE-PB-95	60 x 30 x 62	60 x 24	261
<b>Mobile Unit with Lips Up - Includes Power Strip - 6 Outlets</b>			
DWBM-3048-BE-PB-PS-95	48 x 30 x 62	48 x 24	233

# SPECIALTY WORKBENCHES

## SPECIALITY WORKBENCHES - MOBILE & STATIONARY

### Heavy Duty Workbench with Lips Up & Louvered Panel (4,000 Lbs. capacity)

- Top work surface is 12 gauge thick reinforced steel
- Angle iron stiffener under work surface and 2" x 2"x 1/4" angle iron legs.
- Mobile units include (4) 3" phenolic, locking swivel casters
- Louvered panel accommodates all sizes of Hook-On Bins®.
- Back and end stops
- Provisions for optional drawer Model # 177-DRAWER-95
- Work surfaces are 34" above the floor
- All models include a 12 gauge steel lower shelf with 500 Lbs. capacity
- Stationary units have foot pads with predrilled holes allow lagging to the floor
- Ships fully assembled ready for use
- Durable, gray, textured powder coat finish



**Model**  
**DWB-3072-BE-LP-95**



**Model**  
**DWBM-3060-BE-LP-95**

Model	Type	Overall Dim: WxDxH (In.)	Louvered Panel Dim: WxH (In.)	Ship Wt. (Lbs.)
DWB-3060-BE-LP-95	Stationary	60 x 30 x 57-5/8	60 x 24	248
DWB-3072-BE-LP-95	Stationary	72 x 30 x 57-5/8	72 x 24	277
DWBM-3060-BE-LP-95	Mobile	60 x 30 x 62	60 x 24	262
DWBM-3660-BE-LP-95	Mobile	60 x 36 x 62-5/8	60 x 24	272

### Heavy Duty Workbench with Riser & Electrical Strip

(4,000 Lbs. capacity)

- Top is 12 gauge thick reinforced steel
- Angle iron stiffener under work surface and 2" x 2"x 1/4" angle iron legs.
- Mobile units include (4) 3" phenolic, locking swivel casters
- Riser is 16H x 13D and includes 10 yellow Hook-On Bins® PB30230-21 (6 x 11 x 5)
- Electrical strip with 5 outlets included
- Choose from 60" and 72" widths
- Back and end stops
- Work surfaces are 34" above the floor
- All models include a 12 gauge steel lower shelf with 500 Lbs. capacity
- Provisions for optional drawer Model # 177-DRAWER-95
- Foot pads with predrilled holes allow lagging to the floor
- Ships fully assembled ready for use
- Durable, gray, textured powder coat finish



**Model**  
**DWB-3072-BE-RSR-95**



**Model**  
**DWBM-3060-BE-RSR-95**

Model	Type	Overall Dim: WxDxH (In.)	Ship Wt. (Lbs.)
DWB-3060-BE-RSR-95	Stationary	60 x 30 x 50-1/16	271
DWB-3072-BE-RSR-95	Stationary	72 x 30 x 50-1/16	303
DWBM-3060-BE-RSR-95	Mobile	60 x 30 x 54-5/16	285

See page 103 for more information on optional drawer

# ACCESSORY

## OPTIONAL DRAWER FOR DURHAM WORKBENCHES



**Model**  
**177-DRAWER-95**

### Optional Drawer for Workbench

- All steel construction
- Attaches to underside of work surface using predrilled holes
- Opens and closes easily on ball bearing slides
- Recessed handle
- Lock and 2 keys provided
- 100 Lbs capacity
- Durable, gray, textured powder coat finish

Model	Internal Dim: WxDxH (In.)	Ship Wt. (Lbs.)
177-DRAWER-95	12-3/16 x 19-3/16 x 5-3/8	21

# WORKBENCHES

## HEAVY DUTY MOBILE WORKBENCHES



**Model**  
**HDWBM-3660-8PHSB-95**

### Mobile Heavy Duty Workbench (5,000 Lbs. capacity)

- 7 gauge steel construction
- Bottom surface has back stop
- 8" phenolic bolt-on casters; (4) swivel with side brakes
- Convenient sturdy work surface
- Provisions for optional drawer Model # 177-DRAWER-95
- Ships fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dimensions: WxDxH (In.)	Ship Wt. (Lbs.)
HDWBM-3660-8PHSB-95	60 x 36 x 43-11/16	313
HDWBM-3672-8PHSB-95	72 x 36 x 43-11/16	351



**Model**  
**HDWBMFL-3036-6PH-95**

### Mobile Heavy Duty Workbench

- 7 gauge steel construction
- Bottom surface has back stop
- Units includes a floor lock to keep the workbench in place while working
- Convenient sturdy work surface
- (2) rigid and (2) swivel casters
- Provisions for optional drawer Model # 177-DRAWER-95
- Ships fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Type of Caster	Capacity (Lbs.)	Ship Wt. (Lbs.)
HDWBMFL-3036-6PH-95	36 x 30 x 41-11/16	6" Phenolic Caster	3,600	215
HDWBMFL-3048-6PH-95	48 x 30 x 41-11/16	6" Phenolic Caster	3,600	257
HDWBMFL-3060-6PH-95	60 x 30 x 41-11/16	6" Phenolic Caster	3,600	291
HDWBMFL-3072-6PH-95	72 x 30 x 41-11/16	6" Phenolic Caster	3,600	325
HDWBMFL-3660-6PH-95	60 x 36 x 41-11/16	6" Phenolic Caster	3,600	314
HDWBMFL-3672-6PH-95	72 x 36 x 41-11/16	6" Phenolic Caster	3,600	352
HDWBMFL-4284-6PH-95	84 x 42 x 41-11/16	6" Phenolic Caster	3,600	428
HDWBMFL-3036-8PH-95	36 x 30 x 43-11/16	8" Phenolic Caster	5,000	220
HDWBMFL-3048-8PH-95	48 x 30 x 43-11/16	8" Phenolic Caster	5,000	263
HDWBMFL-3060-8PH-95	60 x 30 x 43-11/16	8" Phenolic Caster	5,000	297
HDWBMFL-3660-8PH-95	60 x 36 x 43-11/16	8" Phenolic Caster	5,000	319
HDWBMFL-3672-8PH-95	72 x 36 x 43-11/16	8" Phenolic Caster	5,000	357
HDWBMFL-4284-8PH-95	84 x 42 x 43-11/16	8" Phenolic Caster	5,000	434

#### Models Including Drawers

HDWBMFL-3036-6PH-177-95	36 x 30 x 41-11/16	6" Phenolic Caster	3,600	232
HDWBMFL-3048-6PH-177-95	48 x 30 x 41-11/16	6" Phenolic Caster	3,600	274
HDWBMFL-3060-6PH-177-95	60 x 30 x 41-11/16	6" Phenolic Caster	3,600	308
HDWBMFL-4284-6PH-177-95	84 x 42 x 41-11/16	6" Phenolic Caster	3,600	445



**Model**  
**HDWBMFL-3036-6PH-177-95**



# SPECIALITY WORKBENCHES

## EXTRA HEAVY DUTY SPECIALITY WORK BENCHES

### Extra Heavy Duty Workbench (12,000 Lbs. capacity)

- Top work surface is 3/16" thick reinforced steel
- Legs are 2" x 2" x 1/4" solid steel angle iron
- Provisions for optional drawer
- Lower shelf has 500 Lbs. capacity
- Foot pads with pre-punched holes allow lagging to the floor
- Ships fully assembled ready for use
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Includes	Ship Wt. (Lbs.)
HDWB-3048-95	48 x 30 x 34-1/4	-	224
HDWB-3660-95	60 x 36 x 34-1/4	-	279
HDWB-3672-95	72 x 36 x 34-1/4	-	319
HDWB-MT-3672-95	72 x 36 x 36-1/8	Maple Top	443
HDWB-3048-177D-95	48 x 30 x 34-1/4	1 Drawer	241
HDWB-3660-177D-95	60 x 36 x 34-1/4	1 Drawer	296
HDWB-3672-177D-95	72 x 36 x 34-1/4	1 Drawer	336



**Model**  
**HDWB-3672-177-95**  
(shown with optional drawer)

### Heavy Duty Workbench with Riser (12,000 Lbs. capacity)

- Top is 3/16" thick reinforced steel
- Legs are 2" x 2" x 1/4" solid steel angle iron
- Lower shelf has 500 Lbs. capacity
- Foot pads with pre-punched holes allow lagging to the floor
- Bottom surface and riser have back stop
- Ships fully assembled
- Convenient sturdy work surface
- Durable, gray, textured powder coat finish

Model	Overall Dims: WxDxH (In.)	Drawers Dims: WxDxH (In.)	Top Surface	Ship Wt. (Lbs.)
HDWB3660RS6DR95	60 x 36 x 50-7/8	(6) 12-5/16 x 21-1/16 x 4	Steel	478
HDWBMT3672RS6DR95	72 x 36 x 53-5/16	(6) 12-5/16 x 20-1/16 x 4	Maple Top	621
HDWB3672RS6DR95	72 x 36 x 50-7/8	(6) 12-5/16 x 20-1/16 x 4	Steel	524
HDWBMT3696RS2DR95	96 x 36 x 51-1/16	(2) 24-11/16 x 20-1/8 x 6	Maple Top	739



**Model**  
**HDWBMT3672RS6DR95**

### Heavy Duty Workbench with Drawers (12,000 Lbs. capacity)

- Top is 3/16" thick reinforced steel
- Legs are 2" x 2" x 1/4" solid steel angle iron
- Lower shelf has 500 Lbs. capacity
- Foot pads with pre-punched holes allow lagging to the floor
- Bottom surface has back stop
- Ships fully assembled
- Convenient sturdy work surface
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Drawers Dim: WxDxH (In.)	Top Surface	Ship Wt. (Lbs.)
HDWB36723DR95	72 x 36 x 34-3/16	(3) 24-11/16 x 20-1/8 x 6	Steel	442
HDWBMT36722DR95	72 x 36 x 36-1/8	(2) 24-11/16 x 20-1/8 x 6	Maple Top	507
HDWBMT36723DR95	72 x 36 x 36-1/8	(3) 24-11/16 x 20-1/8 x 6	Maple Top	537
HDWB36724DR95	72 x 36 x 34-3/16	(4) 24-11/16 x 20-1/8 x 6	Steel	476
HDWBMT36962DR95	96 x 36 x 36-1/8	(2) 24-11/16 x 20-1/8 x 6	Maple Top	662



**Model**  
**HDWB36724DR95**

# WORKBENCHES

## SUPER HEAVY DUTY WORKBENCHES



**Model**  
**HWB-3660-177D-95**  
(shown with optional drawer)

### Super Heavy Duty Workbench (14,000 Lbs. capacity)

- Top is 3/16" thick steel plate welded to 3" channel frame
- Legs are 3" x 3" x 3/16" solid steel angle iron
- All models include a 28-1/8" deep shelf which sits 10" above the floor
- Ships fully assembled ready for use
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Ship Wt. (Lbs.)
HWB-3648-95	48 x 36 x 34	276
HWB-3660-95	60 x 36 x 34	319
HWB-3672-95	72 x 36 x 34	361
<b>Models Including Drawers</b>		
HWB-3648-177D-95	48 x 36 x 34	295
HWB-3660-177D-95	60 x 36 x 34	337
HWB-3672-177D-95	72 x 36 x 34	380



**Model**  
**HWBMT-366024-95**

### Super Heavy Duty Machine Tables - Top Shelf Only (14,000 Lbs. capacity)

- Top is 3/16" thick steel plate welded to 3" channel frame
- Legs are 3" x 3" x 3/16" solid steel angle iron
- 4" x 4-1/2" foot pad is pre-punched with 5/16" and 3/8" hole for lagging to the floor
- Ships fully assembled ready for use
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Ship Wt. (Lbs.)
HWBMT-364824-95	48 x 36 x 24-3/16	260
HWBMT-364830-95	48 x 36 x 30-3/16	268
HWBMT-364834-95	48 x 36 x 34-3/16	273
HWBMT-366024-95	60 x 36 x 24-3/16	300
HWBMT-366030-95	60 x 36 x 30-3/16	308
HWBMT-366034-95	60 x 36 x 34-3/16	313
HWBMT-367224-95	72 x 36 x 24-3/16	339
HWBMT-367230-95	72 x 36 x 30-3/16	346
HWBMT-367234-95	72 x 36 x 34-3/16	351



**Model**  
**177-DRAWER-95**

### Optional Drawer for Workbench

- All steel construction
- Attaches to underside of work surface using predrilled holes
- Opens with recessed handle and closes easily on ball bearing slides
- Lock and 2 keys provided
- 100 Lbs capacity
- Durable, gray, textured powder coat finish

Model	Internal Dimensions: WxDxH (In.)	Ship Wt. (Lbs.)
177-DRAWER-95	12-3/16 x 19-3/16 x 5-3/8	21

# WORKSTATIONS

## STATIONARY



**Model**  
**3403-95**



**Model**  
**3403-NVS-95**



**Model**  
**3405-95**

### Stationary Workstation with Shelves or Drawers (2,000 Lbs. capacity)

- 14 gauge all-welded steel construction
- Work surface: 48" x 24"
- Doors have 3-point locking handle and 4 keys
- Back and end stops
- 6"H - 3/16" thick base/legs with pre-punched holes provided for lagging to floor
- Ships fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dimensions: WxDxH (In.)	Drawers: WxDxH (in)	Shelf (in)	12" Vice Shelf	Ship Wt. (Lbs.)
3403-95	60-1/16 x 24-1/4 x 36-3/16	-	48 x 24	Yes	243
3403-NVS-95	48-1/8 x 24-1/4 x 36-3/16	-	48 x 24	No	215
3404-95	60-1/8 x 24-1/4 x 36-1/4	(4) 21-1/16 x 14-11/16 x 5-7/8	22-1/16 x 21-1/8	Yes	280
3405-95	60-1/8 x 24-1/4 x 36-1/4	(2) 21-1/16 x 14-11/16 x 5-7/8 (3) 21-1/16 x 14-11/16 x 3-7/8	24-7/8 x 21-1/8	Yes	285
<b>Leveling feet included</b>					
3403NVSLF-95	48-1/8 x 24-1/4 x 36-3/16	-	48 x 24	No	216

### Stationary Workstation with Riser Shelf

- 14 gauge all-welded steel construction
- Work surface: 36" x 24"
- Doors have 3-point locking handle and 4 keys
- Back and end stops
- Base/legs have leveling feet
- Riser shelf: 36" x 9-29/32" x 13-1/4"
- Ships fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dimensions: WxDxH (In.)	Shelves	Ship Wt. (Lbs.)
3000RSNDF-95 (Without doors)	36-1/8 x 24-1/4 x 46-7/8	36 x 24	162
3000RSLF-95 (With doors)	36-1/8 x 24-1/4 x 46-7/8	36 x 21-1/8	181



**Model**  
**3000RSLF-95**

### Stationary File Work Station and Stand Up Desk

- Heavy 16 gauge steel construction
- 2 file drawers and 2 storage drawers are 18 gauge steel
- Drawers have riveted, ball bearing slides, recessed handles, cylinder locks and 4 keys
- All drawers are keyed alike
- Smooth writing surface is 42-3/16" above the floor
- Horizontal literature rack is included and easily bolts to top of work surface
- An 25-1/16"D x 19-13/16"W shelf is located 7" above the floor
- Durable, gray, textured powder coat finish

Model	Overall Dimensions: WxDxH (In.)	Drawers: WxDxH (in)	Ship Wt. (Lbs.)
SFWS-392955-95	39 x 29 x 55-5/8	(3) 13-5/16 x 19-5/16 x 11-7/16 (1) 20-7/16 x 14-11/16 x 5-7/8	248



**Model**  
**SFWS-392955-95**

# WORKSTATIONS

## MOBILE



**Model**  
**MSD-2023-95**

### Mobile Shop Desk

- Heavy duty 16 gauge steel construction
- Provides an organized work area that easily moves anywhere you need it
- 500 Lbs. capacity
- Drawer has ball bearing slides and includes a cylinder lock and 4 keys
- (4) 3" x 1" polyolefin swivel plug in casters
- Sloped work surface has a pencil rest lip
- 2 storage compartments are located above work surface
- Half shelf for additional storage is located 15" above the floor
- Bottom half shelf: 22-1/8 x 9-11/16
- Durable, gray, textured powder coat finish

Model	Overall Dimensions: WxDxH (In.)	Drawer Dims: WxDxH	Ship Wt. (Lbs.)
MSD-2023-95	23-7/8 x 20-1/8 x 47-13/16	20-7/16 x 14-11/16 x 5-7/8	91



**Model**  
**FED-2023-95**

### Mobile Shop Desk

- Heavy duty 16 gauge steel construction
- Provides an organized work area that easily moves anywhere you need it
- 500 Lbs. capacity
- Drawers have ball bearing slides and include a cylinder lock and 4 keys
- Lower storage compartment has a single point locking handle and 2 keys
- Interior shelf: 22" x 17"
- Space below drawers = 22-3/4" x 20" x 21-3/16"
- Drawer cylinder locks and lower compartment handle are keyed alike
- 2 storage compartments are located above work surface
- Sloped work surface has a pencil rest lip
- (4) 3" x 1" polyolefin swivel plug in casters
- Durable, gray, textured powder coat finish

Model	Overall Dimensions: WxDxH (In.)	Drawer Dims: WxDxH	Ship Wt. (Lbs.)
FED-2023-95	23 x 20-3/16 x 48	(2) 20-7/16 x 14-11/16 x 5-7/8	134



**Model**  
**PSD-2430-4-D-95**

### 3 or 4 Shelf Portable Shop Desks (with or without Drawer)

- Heavy duty 14 gauge steel construction
- Provide an organized work area that easily moves anywhere it is needed
- 1,200 Lbs capacity
- Top shelf has a 1-1/2" lip on 3 sides and creates an ideal work surface 36" above the floor
- Bottom shelves have 1-1/2" lips on all 4 sides
- (4) 5" x 1-1/4" polyurethane bolt-on caster (2 swivel with side brakes and 2 rigid)
- Drawer included with model PSD-2430-3-D-95 & PSD-2430-4-D-95 has a recessed handle, ball bearing slides and includes a lock and 2 keys
- Ships fully assembled
- Drawer (where included) ships separately and is easy to attach using fasteners provided
- Durable, gray, textured powder coat finish

Model	Overall Dims: WxDxH (In.)	Shelves	Shelf Clearance	Drawers	Ship Wt. (Lbs.)
PSD-2430-3-95	30-1/4 x 24-1/4 x 37-5/8	(3) 24 x 30	14-1/8	-	109
PSD-2430-3-D-95	30-1/4 x 24-1/4 x 37-5/8	(3) 24 x 30	12-5/8	(1) 13-5/16 x 19-7/16 x 4-15/16	127
PSD-2430-4-95	30-1/4 x 24-1/4 x 55-5/8	(3) 24 x 30 (1) 12 x 30	16-1/4, 14-1/8	-	147
PSD-2430-4-D-95	30-1/4 x 24-1/4 x 55-5/8	(3) 24 x 30 (1) 12 x 30	16-1/4, 14-1/8	(1) 13-5/16 x 19-7/16 x 4-15/16	144
PSD-2436-3-2D-95 (includes handle)	42-1/4 x 24-1/4 x 55-5/8	(2) 24 x 36 (1) 12 x 36	28-1/4	(2) 13-5/16 x 19-7/16 x 4-15/16	157



**Model**  
**RSC-2436-2-PB-1DR-95**



**Model**  
**RSC-2448-3-PB-95**



**Model**  
**RSC-2436-2-LP-2DR-32B-95**

### 2 & 3 Shelves Stock Cart with Pegboard or Louvered Panel (1,200 Lbs. capacity)

- Heavy duty 14 gauge steel construction
- 1-1/2" x 1/8" angle iron frame for added strength
- 5" polyurethane bolt-on casters; (2) swivel with side brakes and (2) rigid
- Top surface has lips down
- Pegboard holes are 1/4" diameter and are punched on 1" centers They accommodate standard peg hooks. (peg hooks not included)
- Louvered panels accommodate Hook-on Bins®. 32 Hook-On Bins® included; 4" x 7" x 3"
- Locking drawers, have 100 Lbs capacity, move easily on ball bearing slides and includes locks and 2 keys
- Sturdy tubular push handle
- Durable, gray, textured powder coat finish
- Ships fully assembled

Model	Overall Dim: WxDxH (In.)	Shelves	Shelf Clearance (In.)	Includes	Ship Wt. (Lbs.)
RSC-2436-2-PB-95	42-1/4 x 24-1/4 x 67-5/8	(2) 24 x 36	29-1/4	Pegboard: 36 x 24	125
RSC-2448-2-PB-95	54-1/4 x 24-1/4 x 64-1/8	(2) 24 x 48	29-1/4	Pegboard: 48 x 24	143
RSC-2436-3-PB-95	42-1/4 x 24-1/4 x 67-5/8	(3) 24 x 36	13-13/16	Pegboard: 36 x 24	145
RSC-2448-3-PB-95	24-1/4 x 54-1/4 x 64-1/8	(3) 24 x 48	13-13/16	Pegboard: 48 x 24	172
RSC-2436-2-PB-1DR-95	42-1/4 x 24-1/4 x 67-5/8	(2) 24 x 36	21-3/8	Pegboard: 36 x 24 1 Drawer: 13-5/16 x 19-7/16 x 4-15/16	144
RSC-2436-2-PB-2DR-95	42-1/4 x 24-1/4 x 65-5/8	(2) 24 x 36	18-15/16	Pegboard: 36 x 24 2 Drawer: 13-5/16 x 19-7/16 x 4-15/16	163
RSC-3036-2-PB-2DR-95	42-1/4 x 30-1/4 x 65-5/8	(2) 30 x 36	18-15/16	Pegboard: 36 x 28 2 Drawer: 13-5/16 x 19-7/16 x 4-15/16	173
RSC-2448-2-PB-2DR-95	54-1/4 x 24-1/4 x 64-1/8	(2) 24 x 48	21-7/16	Pegboard: 48 x 24 2 Drawer: 13-5/16 x 19-7/16 x 4-15/16	182
RSC-2436-2-LP-2DR-32B-95	42-1/4 x 24-1/4 x 65-5/8	(2) 24 x 36	18-15/16	Louvered Panel: 48 x 24 2 Drawer: 13-5/16 x 19-7/16 x 4-15/16 32 Bins: 4 x 7 x 3	170

**For additional information visit our website:**

**[www.durhammfg.com](http://www.durhammfg.com)**

**or**

**Contact us at: [info@durhammfg.com](mailto:info@durhammfg.com)**



# WORKSTATIONS

## MOBILE



**Model**  
**2210A-LU-95**

### Mobile Workstation with Lockable Storage Compartment (1,200 Lbs. capacity)

- 14 gauge all-welded steel construction
- Convenient sturdy work surface: 18" x 36"
- Back and end stops on the work surface prevents parts from falling during transport
- 5" x 1-1/4" polyurethane casters (2) swivel and (2) rigid
- Tubular handle for ease of mobility
- Cabinet compartment: 34" x 18" x 25-3/8"
- 1 adjustable shelf included
- Locking handle that has a 3 point locking handle with 4 keys
- Ships fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dimensions: WxDxH (In.)	Shelf Dims: WxD (In.)	Ship Wt. (Lbs.)
2210A-LU-95	18-1/4 x 42-1/8 x 36-3/8	36 x 18-1/16	151



**Model**  
**2210A-PB-LU-95**

### Mobile Workstation with Lockable Storage Compartment and Pegboard Panel (1,200 Lbs. capacity)

- 16 gauge all-welded steel construction
- Convenient sturdy work surface: 36" x 18"
- Back and end stops on the work surface prevents parts from falling during transport
- Pegboard holes are punched on 1" centers and accommodate standard peg hooks
- Tubular handle for ease of mobility
- 5" x 1-1/4" polyurethane casters (2) swivel and (2) rigid
- Cabinet compartment: 34" x 18" x 25-3/8"
- 1 adjustable shelf included
- Locking handle that has a 3 point locking handle with 4 keys
- Durable, gray, textured powder coat finish

Model	Overall Dimensions: WxDxH (In.)	Shelf Dims: WxD (In.)	Ship Wt. (Lbs.)
2210A-PB-LU-95	18-3/8 x 42-1/4 x 66-7/8	18 x 36	184



**Model**  
**3112-32B-LU-5PO-95**

### Mobile Workstation with Lockable Storage Compartment, Louvered Panel and 32 Hook-On® Bins

- All-welded steel construction
- Back and end stops on the work surface prevents parts from falling during transport
- 5" x 1-1/4" casters, (2) swivel and (2) rigid
- 32 bins included: 4" x 7" x 3"
- Model 3113 had a compartment: 34 x 23-7/8 x 25-3/8
- Tubular handle for ease of mobility
- Cabinet compartment is equipped with an adjustable shelf and locking handle that has a 3 point locking handle with 4 keys
- Ships fully assembled
- Durable, gray, textured powder coat finish

Model	Gauge	Overall Dimensions: WxDxH (In.)	Caster Material	Work shelf Height (In.)	Shelf Dimensions: WxD (In.)	Capacity (lbs.)	Ship Wt. (lbs.)
3112-32B-LU-5PO-95	14	24-3/8 x 42-3/8 x 58	Polyolefin	35-3/8	(worksurface) 36 x 24	1,400	203
2210A-32B-LU-95	16	18-1/4 x 42-1/8 x 66-7/8	Polyurethane	35-1/8	(1 - adjustable) 36 x 16-3/8	1,200	191