



**Model 1055MDSR-HAZ-50**



**Model 1055SDSR-HAZ-50**



## FM Approved Hazardous Waste Storage Cabinets

- Sturdy all welded double wall steel construction
- 2- 2" Side Wall Vents with Flame Arrestors
- 2" wide louvers support shelves, adjustable on 4" centers
- 2" Deep leak proof base
- Safely contains hazardous chemicals reducing the risk of fire
- Units come fully assembled and ready for use
- Electrical ground to aid in the elimination of an electrostatic discharge
- Improved security with recessed lockable paddle latch and 3 point locking system
- Bunged air vents on each side and back of the cabinet allow for ventilation
- Durable, safety yellow, powder coat finish

Model	Capacity (gl.)	Overall Dim: WxDxH (in.)	Shelves	Optional Shelf Part	Door Style	Ship Wt. (lbs.)
<b>1055MDSR-HAZ-50</b>	55 - Drum	34 x 34 x 65	1	FS-SH-2930	Manual	492
<b>1055SDSR-HAZ-50</b>	55 - Drum	34 x 34 x 66-3/8	1	FS-SH-2930	Self Closing	518

Updated 1/27/25



**Model 1045M-94T**



**Model 1060M-94T**



## FM Approved Flammable Storage Cabinets

- Sturdy all welded double wall steel construction
- 2- 2" Side Wall Vents with Flame Arrestors
- 2" wide louvers support shelves, adjustable on 4" centers
- 2" Deep leak proof base
- Safely contains hazardous chemicals reducing the risk of fire
- Units come fully assembled and ready for use
- Electrical ground to aid in the elimination of an electrostatic discharge
- Improved security with recessed lockable paddle latch and 3 point locking system
- Bunged air vents on each side of the cabinet allow for ventilation
- Durable, gray powder coat finish

Model	Capacity (gl.)	Overall Dim: WxDxH (in.)	Shelves	Optional Shelf Part	Door Style	Ship Wt. (lbs.)
<b>1045M-94T</b>	45	43 x 18 x 65	2	FS-SH-1439	Manual	390
<b>1060M-94T</b>	60	34 x 34 x 65	2	FS-SH-2930	Manual	470

Updated 1/27/25

# DURHAM MFG®

Est. 1922



## FM Approved Flammable Storage Cabinets

- Sturdy all welded double wall steel construction
- Choice of manual or self closing doors
- 2" wide louvers support shelves, adjustable on 4" centers
- 2" Deep leak proof base
- Safely contains hazardous chemicals reducing the risk of fire
- Units come fully assembled and ready for use
- Electrical ground to aid in the elimination of an electrostatic discharge
- Improved security with recessed lockable paddle latch and 3 point locking system
- Bungled air vents on each side of the cabinet allow for ventilation
- Durable, safety yellow, powder coat finish

Model	Capacity (gl.)	Overall Dim: WxDxH (in.)	Shelves	Optional Shelf Part	Door Style	Ship Wt. (lbs.)
*1002M-50	2	17-7/16 x 18-1/8 x 17-1/4	1	FS-SH-1413	Manual	77
*1002S-50	2	17-3/8 x 18-1/8 x 18-3/8	1	FS-SH-1413	Self Closing	82
1004M-50	4	17-3/8 x 18-1/8 x 22-1/8	1	FS-SH-1413	Manual	101
1004S-50	4	17-3/8 x 18-1/8 x 23-3/8	1	FS-SH-1413	Self Closing	110
1012MH-50	12 - Horizontal	43 x 18 x 17-15/16	1	FS-SH-1439	Manual	170
1012MA-50	24 standard 12 oz. cans	23 x 18 x 35	2 Slide Shelves	-	Manual	168
1012M-50	12	23 x 18 x 35	1	FS-SH-1419	Manual	153
1012S-50	12	23 x 18 x 36-3/8	1	FS-SH-1419	Self Closing	165
1016M-50	16	23 x 18 x 44	1	FS-SH-1419	Manual	186
1016S-50	16	23 x 18 x 45-3/8	1	FS-SH-1419	Self Closing	196
1022M-50	22	23-5/16 x 18-1/8 x 65	2	FS-SH-1419	Manual	290
1022S-50	22	23-5/16 x 18-1/8 x 66-3/8	2	FS-SH-1419	Self Closing	305
1022UCM-50	22	35 x 22 x 35	1	FS-SH-1731	Manual	237
1022UCS-50	22	35 x 22 x 35	1	FS-SH-1731	Self Closing	241
1024M-50	24	23 x 18 x 65	3	FS-SH-1419	Manual	280
1024S-50	24	23 x 18 x 65	3	FS-SH-1419	Self Closing	281
1024SAWM-50	24	43 x 12 x 44	3	FS-SH-0839	Self Closing	226
1030M-50	30	43 x 18 x 44	1	FS-SH-1439	Manual	277
1030S-50	30	43 x 18 x 45-3/8	1	FS-SH-1439	Self Closing	297
1030MPI-50	30 - Paint & Ink	43 x 12 x 65	5	FS-SH-0839	Manual	372
1030SPI-50	30 - Paint & Ink	43 x 12 x 65	5	FS-SH-0839	Self Closing	374
1045M-50	45	43 x 18 x 65	2	FS-SH-1439	Manual	390
1045S-50	45	43 x 18 x 66-3/8	2	FS-SH-1439	Self Closing	409
1055MDSR-50	55 - Drum	34 x 34 x 65	1	FS-SH-2930	Manual	492
1055SDSR-50	55 - Drum	34 x 34 x 66-3/8	1	FS-SH-2930	Self Closing	518
1060M-50	60	34 x 34 x 65	2	FS-SH-2930	Manual	470
1060S-50	60	34 x 34 x 66-3/8	2	FS-SH-2930	Self Closing	496
1060MPI-50	60 - Paint & Ink	43 x 18 x 65	5	FS-SH-0839	Manual	423
1060SPI-50	60 - Paint & Ink	43 x 18 x 66-3/8	5	FS-SH-0839	Self Closing	444
1090M-50	90	43 x 34 x 65	2	FS-SH-2939	Manual	540
1090S-50	90	43 x 34 x 66-3/8	2	FS-SH-2939	Self Closing	571
1120M-50	120	59-1/16 x 34 x 65	2	FS-SH-2955	Manual	677
1120S-50	120	59 x 34 x 66-5/16	2	FS-SH-2955	Self Closing	715

\*FM Approval not required

Updated 5/25/23

## FM APPROVED FLAMMABLE SAFETY CABINETS



### FM Approved Flammable Safety Cabinet with Legs

- Sturdy all welded double wall steel construction
- Choice of manual or self closing doors
- 2" wide louvers support shelves, adjustable on 4" centers
- 2" Deep leak proof base
- Safely contains hazardous chemicals reducing the risk of fire
- Electrical ground to aid in the elimination of an electro-static discharge
- Units come fully assembled and ready for use
- Improved security with recessed lockable paddle latch and 3 point locking system
- 6" Box style legs allows for lagging to the floor, moving with forklift, and cleaning under the cabinet
- Bunged air vents on each side of the cabinet allows for ventilation
- Safety Yellow, powder coat finish

Model	Capacity (gl.)	Overall Dim: WxDxH (in.)	Shelves	Optional Shelf Part	Door Style	Ship Wt. (lbs.)
1012ML-50	12	23 x 18 x 41	1	FS-SH-1419	Manual	165
1012SL-50	12	23 x 18 x 42-3/8	1	FS-SH-1419	Self Closing	176
1016ML-50	16	23 x 18 x 50	1	FS-SH-1419	Manual	196
1016SL-50	16	23 x 18 x 51-3/8	1	FS-SH-1419	Self Closing	207
1030ML-50	30	43 x 18 x 50	1	FS-SH-1439	Manual	286
1030SL-50	30	43 x 18 x 51-3/8	1	FS-SH-1439	Self Closing	306
1045ML-50	45	43 x 18 x 71	2	FS-SH-1439	Manual	398
1045SL-50	45	43 x 18 x 72-3/8	2	FS-SH-1439	Self Closing	418
1060ML-50	60	34 x 34 x 71	2	FS-SH-2930	Manual	487
1060SL-50	60	34 x 34 x 72-3/8	2	FS-SH-2930	Self Closing	513
1090ML-50	90	43 x 34 x 71	2	FS-SH-2939	Manual	557
1090SL-50	90	43 x 34 x 72-3/8	2	FS-SH-2939	Self Closing	588
1120M-50	120	59-1/16 x 34 x 65	2	-	Manual	694



## FM Approved Flammable Storage Cabinets

- Sturdy all welded double wall steel construction
- Choice of manual or self closing doors
- 2" wide louvers support shelves, adjustable on 4" centers
- 2" Deep leak proof base
- Safely contains hazardous chemicals reducing the risk of fire
- Units come fully assembled and ready for use
- Electrical ground to aid in the elimination of an electrostatic discharge
- Improved security with recessed lockable paddle latch and 3 point locking system
- Bunged air vents on each side of the cabinet allow for ventilation
- Durable, red, powder coat finish

Model	Capacity (gl.)	Overall Dim: WxDxH (in.)	Shelves	Optional Shelf Part	Door Style	Ship Wt. (lbs.)
<b>1012M-17</b>	12	23 x 18 x 35	1	FS-SH-1419	Manual	157
1030M-17	30	43 x 18 x 44	1	FS-SH-1439	Manual	272
1030S-17	30	43 x 18 x 45-3/8	1	FS-SH-1439	Self Closing	292
<b>1030MPI-17</b>	30 - Paint & Ink	43 x 12 x 65	5	FS-SH-0839	Manual	372
1045M-17	45	43 x 18 x 65	2	FS-SH-1439	Manual	383
<b>1045S-17</b>	45	43 x 18 x 66-7/16	2	FS-SH-1439	Self Closing	409
1060M-17	60	34 x 34 x 65	2	FS-SH-2930	Manual	464
1060S-17	60	34 x 34 x 66-3/8	2	FS-SH-2930	Self Closing	596
<b>1060MPI-17</b>	60 - Paint & Ink	43 x 18 x 65	5	FS-SH-0839	Manual	423
<b>1060SPI-17</b>	60 - Paint & Ink	43 x 18 x 66-3/8	5	FS-SH-0839	Self Closing	444
<b>1090S-17</b>	90	43 x 34 x 66-3/8	2	FS-SH-2939	Self Closing	571
<b>Units with Lega</b>						
<b>1045ML-17</b>	45	43 x 18 x 70-5/8	2	FS-SH-1439	Manual	400

Updated 1/27/25



## FM Approved Corrosive Storage Cabinets

- Sturdy all welded double wall steel construction
- Choice of manual or self closing doors
- Units come with plastic trays that prevent any leak or spill of corrosive liquids
- 2" Wide louvers support shelves, adjustable on 4" centers
- 2" Deep leak proof base
- Electrical ground to aid in the elimination of an electrostatic discharge
- Improved security with recessed lockable paddle latch and 3 point locking system
- Bunged air vents on each side of the cabinet allows for ventilation
- Units come fully assembled and ready for use
- Durable, blue powder coat finish

Model	Capacity (gl.)	Overall Dim: WxDxH (in.)	Shelves	Optional Shelf	Plastic Trays	Optional Tray	Door Style	Ship Wt. (lbs.)
1004M-293T	4	17-3/8 x 18-1/8 x 22-1/8	1	FS-SH-1413	2	FS-TR-1413-50-PKG	Manual	103
1004S-293T	4	17-3/8 x 18-1/8 x 23-3/8	1	FS-SH-1413	2	FS-TR-1413-50-PKG	Self Closing	112
1012M-293T	12	23 x 18 x 35	1	FS-SH-1419	2	FS-TR-1419-50-PKG	Manual	157
1012MH-293T	12	43 x 18 x 17-15/16	1	FS-SH-1439	2	FS-TR-1439-50-PKG	Manual	173
1012S-293T	12	23 x 18 x 36-3/8	1	FS-SH-1419	2	FS-TR-1419-50-PKG	Self Closing	168
1016M-293T	16	23 x 18 x 44	1	FS-SH-1419	2	FS-TR-1419-50-PKG	Manual	188
1016S-293T	16	23 x 18 x 45-3/8	1	FS-SH-1419	2	FS-TR-1419-50-PKG	Self Closing	198
1022M-293T	22	23-5/16 x 18-1/8 x 65	2	FS-SH-1419	3	FS-TR-1419-50-PKG	Manual	293
1022S-293T	22	23-5/16 x 18-1/8 x 66-3/8	2	FS-SH-1419	3	FS-TR-1419-50-PKG	Self Closing	308
1022UCM-293T	22	35 x 22 x 35	1	FS-SH-1731	2	FS-TR-1731-50-PKG	Manual	241
1022UCS-293T	22	35 x 22 x 35	1	FS-SH-1731	2	FS-TR-1731-50-PKG	Self Closing	245
<b>1024M-293T</b>	24	23-1/4 x 18-1/16 x 65-1/16	3	FS-SH-1419	4	FS-TR-1419-50-PKG	Manual	291
<b>1024S-293T</b>	24	23-1/4 x 18-1/16 x 65-1/16	3	FS-SH-1419	4	FS-TR-1419-50-PKG	Self Closing	292
1030M-293T	30	43 x 18 x 44	1	FS-SH-1439	2	FS-TR-1439-50-PKG	Manual	285
1030S-293T	30	43 x 18 x 45-3/8	1	FS-SH-1439	2	FS-TR-1439-50-PKG	Self Closing	304
1045M-293T	45	43 x 18 x 65	2	FS-SH-1439	3	FS-TR-1439-50-PKG	Manual	397
1045S-293T	45	43 x 18 x 66-3/8	2	FS-SH-1439	3	FS-TR-1439-50-PKG	Self Closing	417
<b>1055MSDR-293T</b>	55 - Drum	34-3/16 x 34-3/16 x 65-1/8	1	FS-SH-2930	1	FS-TR-2930-50-PKG	Manual	492
1060M-293T	60	34 x 34 x 65	2	FS-SH-2930	3	FS-TR-2930-50-PKG	Manual	479
1060S-293T	60	34 x 34 x 66-3/8	2	FS-SH-2930	3	FS-TR-2930-50-PKG	Self Closing	506
1090M-293T	90	43 x 34 x 65	2	FS-SH-2930	3	FS-TR-2939-50-PKG	Manual	552
1090S-293T	90	43 x 34 x 66-3/8	2	FS-SH-2930	3	FS-TR-2939-50-PKG	Self Closing	583
1120M-293T	120	59 x 34 x 65	2	FS-SH-2955	3	FS-TR-2955-50-PKG	Manual	694
1120S-293T	120	59 x 34 x 66-5/16	2	FS-SH-2955	3	FS-TR-2955-50-PKG	Self Closing	734

Updated 1/27/25





## FM Approved Pesticide Storage Cabinets

- Sturdy all welded double wall steel construction
- Choice of manual or self closing doors
- Units come with plastic trays that prevent any leak or spill of corrosive liquids
- 2" Wide louvers support shelves, adjustable on 4" centers
- 2" Deep leak proof base
- Electrical ground to aid in the elimination of an electrostatic discharge
- Improved security with recessed lockable paddle latch and 3 point locking system
- Bunged air vents on each side of the cabinet allows for ventilation
- Units come fully assembled and ready for use
- Durable, green powder coat finish

Model	Capacity (gl.)	Overall Dim: WxDxH (in.)	Shelves	Optional Shelf	Plastic Trays	Optional Tray	Door Style	Ship Wt. (lbs.)
1012M-83T	12	23-3/8 x 18-3/16 x 35	1	FS-SH-1419	2	FS-TR-1419-50-PKG	Manual	153
1012S-83T	12	23-7/16 x 18-3/16 x 36-7/16	1	FS-SH-1419	2	FS-TR-1419-50-PKG	Self Closing	165
1024M-83T	24	23-1/4 x 18-1/16 x 65-1/16	3	FS-SH-1419	4	FS-TR-1419-50-PKG	Manual	291
1024S-83T	24	23-1/4 x 18-1/16 x 65-1/16	3	FS-SH-1419	4	FS-TR-1419-50-PKG	Self Closing	292
1030M-83T	30	43-3/16 x 18-3/16 x 44-1/8	1	FS-SH-1439	2	FS-TR-1439-50-PKG	Manual	277
1030S-83T	30	43-5/16 x 18-3/16 x 45-3/8	1	FS-SH-1439	2	FS-TR-1439-50-PKG	Self Closing	297
1045M-83T	45	43-3/16 x 18-3/16 x 65-1/8	2	FS-SH-1439	3	FS-TR-1439-50-PKG	Manual	390
1045S-83T	45	43-5/16 x 18-1/2 x 66-3/8	2	FS-SH-1439	3	FS-TR-1439-50-PKG	Self Closing	409
1060M-83T	60	34-3/16 x 34-3/16 x 65-1/8	2	FS-SH-2930	3	FS-TR-2930-50-PKG	Manual	472
1060S-83T	60	34-1/4 x 34-3/16 x 66-3/8	2	FS-SH-2930	3	FS-TR-2930-50-PKG	Self Closing	498

Updated 1/27/25

# PLASTIC TRAYS



**Model**  
**FS-TR-1413-50-PKG**




**Model**  
**FS-TR-1419-50-PKG**




**Model**  
**FS-TR-1439-50-PKG**




**Model**  
**FS-TR-1731-50-PKG**



**Model**  
**FS-TR-2930-50-PKG**



**Model**  
**FS-TR-2939-50-PKG**



**Model**  
**FS-TR-2955-50-PKG**

## Plastic Trays for Corrosive Cabinets

- All polyethylene construction
- Plastic trays that prevent any leak or spill of corrosive liquids
- No minimum purchase is necessary
- Ready for use
- Durable, yellow matte finish

Model	Overall Dim: WxDxH (in.)	For use with	Ship Wt. (lbs.)
FS-TR-1413-50-PKG	13-31/32 x 14-11/32	1004M-293T, 1004S-293T	2
FS-TR-1419-50-PKG	20-3/32 x 14-11/32	1012M-293T, 1012S-293T, 1016M-293T, 1016S-293T, 1022M-293T, 1022S-293T	2
FS-TR-1439-50-PKG	40-5/16 x 14-5/16	1012MH-293T, 1030M-293T, 1030S-293T, 1045M-293T, 1045S-293T	3
FS-TR-1731-50-PKG	32-3/8 x 17-13/32	1022UCM-293T, 1022UCS-293T	4
FS-TR-2930-50-PKG	31-1/8 x 29-11/16	1060M-293T, 1060S-293T	4
FS-TR-2939-50-PKG	39-7/16 x 30-11/16	1090M-293T, 1090S-293T	6
FS-TR-2955-50-PKG	56-31/32 x 29-11/16	1120S-293T	8

Updated 5/25/23