DURHAM MFG®
Est. 1922

ORDER PICKING CARTS

Model
OPC-12-244868-5-6PH-95

Model
OPC-2436-2-95

Model
OPC-12-2430-3-5PO-95

Order Picking Carts - Lipped Shelves - Slanted Writing Surface 1,200 or 3,000 lbs.

- 12 & 14 gauge, all-welded, steel construction
- 1-1/2" x 1/8" angle iron uprights for added strength
- Shelves have 1-1/2" lips up
- Perfect for transporting parts & stocking
- Slanted writing surface with 1-1/2" lip up
- Ships fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxLxH (in.)	Shelves (in.)	Shelf Clearance (in.)	Ship Wt. (lbs.)
14 Gauge • 1,200 lbs. capacity • 5" x 1-1/4" Polyurethane casters, (2) rigid and (2) swivel with side brakes				
OPC-1836-2-95	18-1/4 x 51-5/16 x 40-11/16	(2) 18 x 36	26-3/4	94
OPC-2436-2-95	24-1/4 x 51-5/16 x 40-11/16	(2) 24 x 36	26-3/4	107
OPC-2448-2-95	24-1/4 x 63-5/16 x 40-11/16	(2) 24 x 48	26-3/4	120
OPC-3060-2-95	30-1/4 x 75-5/16 x 40-11/16	(2) 30 x 60	26-3/4	152
OPC-1836-3-95	18-1/4 x 51-5/16 x 40-11/16	(3) 18 x 36	12-9/16	110
OPC-2436-3-95	24-1/4 x 51-5/16 x 40-11/16	(3) 24 x 36	12-9/16	128
OPC-2448-3-95	24-1/4 x 63-5/16 x 40-11/16	(3) 24 x 48	12-9/16	147
OPC-3060-3-95	30-1/4 x 75-5/16 x 40-11/16	(3) 30 x 60	12-9/16	193
OPC-3072-3-95	30-1/4 x 87-5/16 x 40-11/16	(3) 30 x 72	12-9/16	216
OPC-3648-3-95	36-1/4 x 63-5/16 x 40-11/16	(3) 36 x 48	12-9/16	189
12 Gauge • 1,200 lbs. capacity • 5" x 1-1/4" Polyolefin casters, (2) rigid and (2) swivel with side brake				
OPC-12-1830-3-5PO-95	18-1/4 x 45-5/16 x 40-11/16	(3) 18 x 30	12-9/16	147
OPC-12-2430-3-5PO-95	24-1/4 x 45-5/16 x 40-11/16	(3) 24 x 30	12-9/16	168
OPC-12-3036-2-5PO-95	30-1/4 x 51-5/16 x 40-11/16	(2) 30 x 36	26-3/4	139
OPC-12-3036-3-5PO-95	30-1/4 x 51-5/16 x 40-11/16	(3) 30 x 36	12-9/16	174
OPC-12-3048-2-5PO-95	30-1/4 x 63-5/16 x 40-11/16	(2) 30 x 48	26-3/4	160
OPC-12-3048-3-5PO-95	30-1/4 x 63-5/16 x 40-11/16	(3) 30 x 48	12-9/16	237
OPC-12-3060-3-5PO-95	30-1/4 x 75-5/16 x 40-11/16	(3) 30 x 60	12-9/16	238
14 Gauge • 3,000 lbs. capacity • 6" x 2" Phenolic casters, (2) rigid and (2) swivel				
OPC-243648-3-6PH-95	24-1/4 x 51-5/16 x 51-1/16	(3) 24 x 36	17-1/16	149
OPC-243660-4-6PH-95	24-1/4 x 51-5/16 x 60	(4) 24 x 36	14-13/16	192
OPC-244860-4-6PH-95	24-1/4 x 63-5/16 x 60	(4) 24 x 48	14-13/16	218
OPC-246048-3-6PH-95	24-1/4 x 75-5/16 x 51-1/16	(3) 24 x 60	17-1/16	186
OPC-247268-5-6PH-95	24-1/4 x 87-5/16 x 68	(5) 24 x 72	12-11/16	314
OPC-304848-3-6PH-95	30-1/4 x 63-5/16 x 51-1/16	(3) 30 x 48	17-1/16	190
OPC-304860-4-6PH-95	30-1/4 x 63-5/16 x 60	(4) 30 x 48	14-13/16	246
12 Gauge • 3,000 lbs. capacity • 6" x 2" Phenolic casters, (2) rigid and (2) swivel				
OPC-12-243668-5-6PH-95	24-1/4 x 51-5/16 x 65	(5) 24 x 36	11-15/16	189
OPC-12-244868-5-6PH-95	24-1/4 x 63-5/16 x 68	(5) 24 x 48	13-1/8	298
OPC-12-246068-4-6PH-95	24-1/4 x 75-5/16 x 68	(4) 24 x 60	17-1/16	360
OPC-12-246068-5-6PH-95	24-1/4 x 60-1/4 x 68	(5) 24 x 60	13-1/8	406

DURHAM MFG®
Est. 1922

ORDER PICKING CARTS

Model
OPCFS-1832-2-TLD-95

Order Picking Carts - Bottom Shelf Lips Up -- Flat Writing Surface

1,200 Lbs. Capacity

- 14 gauge, all-welded, steel construction
- 1-1/2" x 1/8" angle iron uprights for added strength
- Shelves with lips are 1-1/2" high
- Perfect for transporting parts and stocking
- Flat writing surface
- 5" x 1-1/4" Polyurethane casters, (2) rigid & (2) swivel with side brakes
- Ships fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxLxH (in.)	Shelves	Shelf Clearance	Ship Wt. (lbs.)
OPCFS-1832-2-TLD-95	18-1/4 x 48-3/8 x 40-1/4	(2) 18 x 32	21-1/8	90
OPCFS-2448-2-TLD-95	24-1/4 x 64-3/8 x 40-1/4`	(2) 24 x 48	21-1/8	119
OPCFS-2436-3-BLU-95	24-1/4 x 52-3/8 x 40-1/4	(3) 24 x 36	11-1/4	127
OPCFS-2448-3-BLU-95	24-1/4 x 64-3/8 x 40-1/4	(3) 24 x 48	11-1/4	146

Model
OPCPFS-12-2436-3-BLU-95

Model
OPCPFS12-2448-5-ALD-6PH95

Model
OPCPFS12-12-2448-2-95

Order Picking Carts - Lipped Shelves - Flat Writing Surface 1,200 lbs. or 3,600 lbs. Capacity

- 12 gauge, all-welded, steel construction
- 1-1/2" x 1/8" angle iron uprights for added strength
- Perfect for transporting parts and stocking
- Flat writing surface
- Ships fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxLxH (in.)	Shelves	Shelf Clearance (in.)	Lip Height (in.)	Includes	Ship Wt. (lbs.)
1,200 lbs. capacity • 5" x 1-1/4" Polyurethane casters, (2) rigid and (2) swivel with side brakes • Bottom Lips Up						
OPCPFS-12-1832-3-BLU-95	18-1/4 x 48-3/8 x 40-1/4	(3) 18 x 32	11-1/4	1-1/2	Storage Pocket	129
OPCPFS-12-2436-3-BLU-95	24-1/4 x 48-3/8 x 40-1/4	(3) 24 x 36	11-1/4	1-1/4	Storage Pocket	159
OPCPFS-12-2448-3-95	24-1/4 x 64-3/8 x 40-1/4	(3) 24 x 48	11-1/4	1-1/2	-	209
OPCPFS-12-2448-3-BLU-95	24-1/4 x 64-3/8 x 40-1/4	(3) 24 x 48	11-1/4	1-1/2	Storage Pocket	185
3,600 lbs. capacity • 6" x 2" Phenolic casters, (2) rigid and (2) swivel						
OPCPFS-12-2448-5-6PH-95	24-1/4 x 48-3/8 x 40-1/4	(5) 24 x 48	11-15/16	1-1/2	Storage Pocket	327
OPCPFS-12-3048-4-6PH-95	30-1/4 x 76-3/8 x 65	(4) 30 x 48	16-1/2	1-1/2	Storage Pocket	414
OPCPFS-12-3060-5-6PH-95	30-1/4 x 76-3/8 x 65	(5) 30 x 60	11-15/16	1-1/2	Storage Pocket	429
3,600 lbs. capacity • 6" x 2" Phenolic casters, (2) rigid and (2) swivel • All Lips Down						
OPCPFS12-2436-5-ALD-6PH95	24-1/4 x 53-3/8 x 63-1/2	(5) 24 x 36	11-15/16	1-1/2	Storage Pocket	282
OPCPFS12-2448-5-ALD-6PH95	24-1/4 x 64-3/8 x 65	(5) 24 x 48	11-15/16	1-1/2	Storage Pocket	327
OPCPFS12-3048-5-ALD-6PH95	30-1/4 x 64-3/8 x 63-1/2	(5) 30 x 48	11-15/16	1-1/2	Storage Pocket	375
OPCPFS12-3060-4-ALD-6PH95	30-1/4 x 76-3/8 x 63-1/2	(4) 30 x 60	11-15/16	1-1/2	Storage Pocket	349
OPCPFS12-3060-5-ALD-6PH95	24-1/4 x 76-3/8 x 63-1/2	(5) 30 x 60	11-15/16	1-1/2	Storage Pocket	492
3,600 lbs. capacity • 6" x 2" Phenolic casters, (2) rigid and (2) swivel • 6" & 12" High Lips Up						
OPCPFS6-12-2448-2-95	24-1/4 x 63-7/8 x 42-9/16	(2) 24 x 48	14-7/8	6	Storage Pocket	258
OPCPFS12-12-2448-2-95	24-1/4 x 63-5/8 x 42-5/8	(2) 24 x 48	12-7/16	12 Top, 1/2 Bottom	Storage Pocket	240

DURHAM MFG®
Est. 1922

ORDER PICKING CARTS

Model
OPCFS-2436-2-95

Model
OPCPFS-244838-2-RM-8PN-95

Model
OPCP3FS-2436-2-6PU-95

Order Picking Carts - Lipped Shelves - Flat Writing Surface 1,200 or 3,600 lbs. Capacity

- 14 gauge, all-welded, steel construction
- 1-1/2" x 1/8" angle iron uprights for added strength
- Perfect for transporting parts and stocking
- Flat writing surface
- Ships fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxLxH (in.)	Shelves	Shelf Clearance	Lip Height (In,)	Includes	Ship Wt. (lbs.)
1,200 lbs. capacity • 5" x 1-1/4" Polyurethane casters, (2) rigid and (2) swivel with side brakes						
OPCPFS-2436-2-95	24-1/4 x 52-3/8 x 40-1/4	(2) 24 x 36	24-1/8	1-1/2	Storage Pocket	115
OPCFS-1832-3-95	18-1/4 x 48-3/8 x 40-1/4	(3) 18 x 32	11-1/4	1-1/2	-	105
OPCFS-2436-2-95	24-1/4 x 52-3/8 x 40-1/4	(2) 24 x 36	24-1/8	1-1/2	-	106
1,200 lbs. capacity • 8" x 2-3/4" Pneumatic casters, (2) rigid and (2) swivel with side brakes • Rubber Matting						
OPCPFS-243638-2-RM-8PN-95	24-1/4 x 52-3/8 x 38	(2) 24 x 36	18-1/4	1-1/2	Storage Pocket	146
OPCPFS-244838-2-RM-8PN-95	24-1/4 x 64-3/8 x 38	(2) 24 x 48	18-1/4	1-1/2	Storage Pocket	178
3,600 lbs. capacity • 6" x 2" Phenolic casters, (2) rigid and (2) swivel						
OPCPFS-243648-3-6PH-95	24-1/4 x 52-3/8 x 48	(3) 24 x 36	17-1/16	1-1/2	Storage Pocket	154
OPCPFS-306048-3-6PH-95	30-1/4 x 76-3/8 x 48	(3) 30 x 60	17-1/16	1-1/2	Storage Pocket	221
OPCPFS-306065-4-6PH-95	30-1/4 x 76-3/8 x 65	(4) 30 x 60	16-1/2	1-1/2	Storage Pocket	289
OPCPFS-243665-5-6PH-95	24-1/4 x 52-3/8 x 65	(5) 24 x 36	11-15/16	1-1/2	Storage Pocket	225
OPCP3FS-2436-2-6PU-95	24-1/4 x 52-3/8 x 41-5/8	(2) 24 x 36	21-5/8	3	Storage Pocket	132

Model
OPCFS-12-2436-2-2DR-95

Order Picking Carts with Drawers - Flat Writting Surface

1,200 lbs. Capacity

- 12 gauge, all-welded, steel construction
- 1-1/2" x 1/8" angle iron uprights for added strength
- Sturdy, tubular, push handle
- 1-1/2" lips up make unit perfect for transporting items
- 1-1/2" x 1/8" angle iron uprights for added strength
- Ships fully assembled
- 2 Drawers Dims. 11-1/8" x 18-7/16" x 4-1/4"
- Durable, textured, gray powder coat finish

Model	Overall Dim: WxLxH (in.)	Shelves (in.)	Shelf Clearance (in.)	Ship Wt. (lbs.)
OPCFS-12-2436-2-2DR-95	24-5/16 x 51-5/16 x 37-5/8	(2) 24 x 36	26-3/4	184
OPCFS-12-3036-2-2DR-95	30-5/16 x 51-5/16 x 37-5/8	(2) 30 x 36	26-3/4	222